

### LIST OF POTENTIAL SKID RESISTANT SOURCES AND RATING

The following aggregate sources have demonstrated skid resistant potential and may be considered for use in Item 402; Hot Mix Asphalt Skid Resistant Pavement. There may be inadvertent omissions from this list which would include sources unknown to the Division at the time this list was compiled. Failure to appear on this list does not necessarily preclude the use of such material providing acceptance of that material, through appropriate testing, is documented by the Division. Final acceptance will be based on test results derived prior to use and applicable to Section 402.2. Each source has been rated in accordance with the sampling and acceptance procedures applicable to that source. The different ratings for said procedures were derived dependent upon accumulated data and/or conditions existing within the quarry (production processes). To determine acceptance procedures and testing necessary for approval of a particular source, compare the applicable rating with the rating description included herewith. All sampling, testing, and documentation will be in accordance with Division policy. This list will be issued periodically as additions and/or rating changes occur.

<u>SOURCE CODE</u>	<u>COMPANY</u>	<u>PRODUCING SITE</u>	<u>SOURCE RATING</u>
A007A	Allen, J. F.	Elkins, WV	A-3
B219A	Boxley Aggregates (Beckley Plant)	Beckley, WV	A-1
B1660	Greer Industries (Buckeye Stone)	Blaney Hollow, WV	A-3
M027H	Cool Springs Stone Supply	Hopwood, PA	A-1
	Deep Creek Quarry	McHenry, MD	B-2
D003F	Georgetown Sand & Gravel	Georgetown, PA	B-2
D123A	Hanson Aggregates	New Kensington, PA	A-2
L001A	Jaymar, Inc.	Reedsville, OH	A-2
K0500	Keystone Lime (Grey)	Springs, PA	B-1
K050A	Keystone Lime (Red)	Springs, PA	B-2
L096C	Laural Aggregates (Lake Lynn Quarry)	Lake Lynn, PA	A-3

List of Commercial Sources  
Effective: April 21, 2011  
Page 9

<u>SOURCE CODE</u>	<u>COMPANY</u>	<u>PRODUCING SITE</u>	<u>SOURCE RATING</u>
L133B	Lucks Stone Co.	Charlottesville, VA	B-1
V001A	Lucks Stone Co. (Goose Creek Plant)	Leesburg, VA	A-1
L133A	Lucks Stone Co. (Leesburg Plant)	Leesburg, VA	A-1
T012B	Martin Marietta Aggregates	Apple Grove, OH	A-2
H160B	Meadows Stone & Paving	Monterville, WV	A-3
M0490	Mount Cydonia	Fayetteville, PA	B-1
S044F	Mountain Materials	Carter City, KY	A-2
M365A	Mountain Slag	Greenup, KY	A-1
****M027E	Mulzer Stone	Charlestown, IN	A-2
	New Centerville Stone	New Centerville, PA	B-1
	New Enterprise Stone	Bakersville, PA	B-2
****N0530	New Enterprise Stone	Roaring Springs, PA	B-2
S044A	Piketon Sand & Gravel	Piketon, OH	A-2
****P1560	Plum Run Stone	Peebles, OH	A-2
M312A	Salem Stone	Sylvatus, VA	A-1
S300B	Shelly Materials (Willow Island)	Marietta, OH	A-2
M1870	Shelly and Sands	Richmondale, OH	B-2



<u>SOURCE CODE</u>	<u>COMPANY</u>	<u>PRODUCING SITE</u>	<u>SOURCE RATING</u>
W115A	Southern West Virginia Asphalt (Kelly Mountain)	Elkins, WV	A-3
S306A	Stocker Sand & Gravel	Gnadenhutten, OH	A-2
S044E	Tube City (IMS)	Mingo Junction, OH	A-1
V067D	Valley Quarries	Gettysburg, PA	B-1
**V042B	Vulcan Materials (Sanders Quarry)	Warrenton, VA	B-1

\* Removed from list this quarter

\*\* Added to list this quarter

\*\*\* Name change

\*\*\*\* Acceptable dolomite may be used alone or as a part of a coarse aggregate blend on roadways with an ATD of 10,000 or less. When acceptable dolomite is used on roadways exceeding 10,000 ADT, it shall be used only as a part of the coarse aggregate blend and shall not exceed 50% of that blend.

\*\*\*\*\* The Source Rating has been changed.

#### RATING DESCRIPTION

- A-1 The source is listed on the Division's "List of Commercial Sources". Material from this source may be used without further quality testing. Coverage for the use of this source material need only reference source report number documented on the Division's "List of Commercial Sources".
- A-2 Although listed on the Division's "List of Commercial Sources", this source, when used for Item 402, needs further testing, i.e., carbonate or elemental magnesium content. Coverage for the quality (LA, soundness, deleterious) of the source material may reference source report number documented on the Division's "List of Commercial Sources". Coverage for carbonate or elemental magnesium content must reference the carbonate or elemental magnesium report number. Sampling for the above tests will be performed by District personnel before utilization and at a subsequent frequency of one sample per 10,000 tons utilized.
- A-3 Although listed on the Division's "List of Commercial Sources", this source, when used for Item 402, must be sampled and approved per stockpile. Coverage for quality (LA, soundness, deleterious) and other qualifying skid criteria, if applicable, shall be based on sample results generated through stockpile sampling. Sampling may be performed by District and/or Central Division (Materials Control, Soils and Testing Division) personnel.

- B-1** This source is not listed on the Division's "List of Commercial Sources". Acceptance of this material shall be by the "Local Source" system of approval. That is, this source will be sampled for quality (LA, soundness, deleterious) by District personnel utilizing a sampling frequency of one sample for each 6 days of production. Because of the nature of this material, and its relationship to total production, further qualifying skid criteria is not required.
- B-2** The source is not listed on the Division's "List of Commercial Sources". Acceptance of this material will be per stockpile. Coverage for quality (LA, soundness, deleterious) and other applicable qualifying skid criteria shall be based on sample results generated through stockpile sampling. Sampling may be performed by District and/or Central Division (MCS&T Division) personnel.